

Graphic Innovations

High Performance Cast

ORACAL® 751

+ 751RA with *RapidAir*® Technology

1ST PHORM

MIAMI 1ST PHORM



Engineered to Achieve Perfection™

**VIBRANT
HIGH GLOSS FINISH**

**EXCEPTIONAL
RESISTANCE TO
WEATHERING
+ FADING**



Lettering Express, Oklahoma City, OK.



ORATAPE® HT55

ORAFOL's most popular application tape, designed to perform with all ORACAL® matte and gloss finish plotter films.

PAIR WITH
ORALITE® V98
+ ORALITE® 5650RA
to enhance your emergency
service vehicle and fleet graphics



ORALITE® V98 Pre-Striped Chevron /// ORALITE® 5650RA Fleet Engineer Grade with *RapidAir*® Technology



Typical Application

ORACAL® 751 provides exceptional resistance to weathering and fading for long-term indoor and outdoor applications. The vibrant gloss brings new life to any application and is available in custom color matching.

- Cars, trucks, vans, and trailers
- Boat, RV, OEM grade graphic kits
- Emergency response vehicles
- General outdoor signage
- Architectural window + wayfinding signage

HIGH QUALITY, DURABILITY, + CONFORMABILITY

/// Splice free guarantee

/// 81 gloss colors + transparent
+ matte (black + white)

/// 12 colors available with
RapidAir® Technology

WE'VE GOT YOU COVERED!



Product Overview




	2-mil	50 micrones	2-mil
Thickness // Espesor /// Épaisseur	2-mil	50 micrones	2-mil
Film Type // Tipo de filme /// Type de Film	cast film	película de reparto	film coulé
Application Surface // Superficie de aplicación /// Superficie de l'application	curved or flat	curvo o plano	courbe ou plate
Adhesive // Adhesivo /// Adhésif	clear, solvent-based, permanent	claro, a base de solvente, permanente	transparent, à base de solvant, permanent
Available Roll Widths // Anchos de rollo disponibles /// Largeurs de rouleaux disponibles	15" (punched), 24", 30", 48" 36" available in transparent, black, and white 24", 48" available in RapidAir®	381 mm (perforado), 610 mm, 762 mm, 1219 mm 914 mm y disponible en transparente, blanco y negro 610 mm, 1219mm disponible en RapidAir®	15" (poinçonné), 24", 30", 48" 36" disponible en transparent, noir et blanc 24", 48" disponible en RapidAir®
Available Roll Lengths // Longitudes de rollo disponibles /// Longueurs de rouleau disponibles	150' (50 yard), 30' (10 yard)	46 m, 9 m	150' (50 verges), 30' (10 verges)
Durability // Durabilidad /// Durabilité	outdoor // up to 8 years indoor // indefinite long-term	exterior // hasta 8 años interior // indefinido a largo plazo	extérieur // jusqu'à 8 ans intérieur // indéfini long terme



ORACAL® 751

High Performance Cast



070 RA
black
negro
noir



070M
matte black
negro mate
noir mat

010 RA
white
blanco
blanc

010M
matte white
blanco mate
blanc mat

000
transparent
transparente
transparent



020
golden yellow
amarillo dorado
jaune or



211
sun yellow
amarillo sol
jaune soleil



019
signal yellow
amarillo semáforo
jaune signal



209
maize yellow
amarillo de maiz
jaune de mais



021 RA
yellow
amarillo
jaune



022
light yellow
amarillo claro
jaune cadmium



203
straw yellow
amarillo paja
jaune paille



025
brimstone yellow
amarillo azufre
jaune soufre



023
cream
crema
crème



018
light ivory
marfil ligero
ivoire clair



026
purple red
rojo púrpura
rouge pourpre



030
dark red
rojo oscuro
rouge foncé



031 RA
red
rojo
rouge



027
tomato red
tomate rojo
rouge tomate



028 RA
cardinal red
cardenal rojo
rouge cardinal



032
light red
rojo claro
rouge clair



324
blood red
sangre roja
rouge sang



306
crimson
carmesi
cramoisi



325
middle red
rojo medio
rouge moyen



326
signal red
señal roja
rouge de signalisation



047
orange red
naranja rojizo
orange rouge



033
red orange
naranja roja
rouge orange



034 RA
orange
naranja
orange



035
pastel orange
naranja claro
orange pastel



048
bordeaux
burdeos
bordeaux



040
violet
violeta
violet



403
light violet
violeta claro
violet clair



043
lavender
lavanda
lavande

ORACAL® 751

High Performance Cast



042
lilac
lila
lilas



041
pink
rosa
pink



077
telemagenta
telemagenta
télémagenta



044
magenta
magenta
magenta



045
soft pink
rosa suave
rose clair



532
black blue
negro azul
bleu noir



518
steel blue
azul acero
bleu acier



050
dark blue
azul oscuro
bleu foncé




058
ultramarine blue
azul ultramarino
bleu outremer



537
deep blue
azul profundo
bleu profond



065
cobalt blue
azul cobalto
bleu cobalt



049 FA
king blue
azul real
bleu royal



086
brilliant blue
azul brillante
bleu brillant



536
middle blue
azul medio
bleu moyen



067
blue
azul
bleu



057 FA
traffic blue
azul tráfico
bleu trafic



051
gentian blue
azul genciana
bleu gentiane



052
azure blue
azul celeste
bleu azur



517
euro blue
euro azul
bleu euro




053
light blue
azul claro
bleu clair



056
ice blue
azul hielo
bleu pâle



608
petrol
gasolina
essence



066
turquoise blue
azul turquesa
bleu turquoise



054
turquoise
turquesa
turquoise



055
mint
menta
menthe



060 FA
dark green
verde oscuro
vert foncé



078
foliage green
follaje verde
feuillage vert



617
emerald
esmeralda
émeraude



607
turquoise green
verde turquesa
vert turquoise



061 FA
dark green
verde oscuro
vert foncé



068
grass green
pasto verde
herbe verte



062
light green
verde claro
vert clair



064
yellow green
verde amarillo
vert jaune




Recommended Application Tapes

ORATAPE® MT95 Clear

- Transparent clarity allows installers to easily register and place graphics
- Precise graphic registration and placement to contoured or curved surfaces
- Easily pickup and transfer large format graphics to small format graphics with delicate details

ORATAPE® HT55 Paper

- Designed to work cohesively with both matte and gloss finish ORACAL® plotter films
- Precise graphic registration and placement
- No risk of "dog earing" or "tunneling" when shipping graphics cross country for an off-site installation



063
lime-tree green
verde tilo
vert tilleul



080
brown
marrón
brun



079
red brown
rojo marrón
rouge-marron



083
nut brown
avellana
brun noisette



824
imitation gold
imitación de oro
imitation or



081
light brown
marrón claro
brun clair



720
komatsu grey
komatsu gre y
komatsu gris



073
dark grey
gris oscuro
gris foncé



713
iron grey
gris hierro
gris fer



071
grey
gris
gris



721
slate grey
pizarra gris
gris ardoise



076
telegrey
telegrey
télégris



074
middle grey
gris medio
gris moyen



072
light grey
gris claro
gris clair



093
anthracite metallic
antracita metalizado
anthracite métallisé



090 RA
silver grey metallic
gris plata metálico
gris argent métallique



930 RA
new gold metallic
nuevo dorado metálico
nouvel or métallique



DID YOU KNOW?

ORACAL® 751, 951 and ORALITE® 5600 are approved for use on rail cars by the Association of American Railroads, enhancing visibility performance.



ASSOCIATION OF
AMERICAN RAILROADS

Engineered to Achieve Perfection™



ORACAL® 751 High Performance Cast

Front cover photo courtesy of Vinyl Images, Fenton, MO. Back Cover photo courtesy of Casanova Signs, Cypress, TX.

Revised 02/24 | © 2024 ORAFOL Americas Inc. | 48102-631 | COLOR751C

ORAFOL Americas ■ ■ ■

1100 Oracal Parkway | Black Creek, GA 31308
Phone | 912-851-5000 • Toll Free | 888-672-2251

ORAFOL Americas ■

120 Darling Drive | Avon, CT 06001
860-676-7100 • Toll Free | 800-654-7570

ORAFOL Canada ■ ■ ■

2831 Bristol Circle | Oakville, Ontario L6H 6X5
905-829-2828 • Toll Free | 888-727-3374

graphics-americas@orafol.com • www.orafol.com

